

AirGuard

UV-C LED Air Disinfection Modules



OTSAW

Welcome to the world of Robotics and
Artificial Intelligence with OTSAW.



otsaw.com

Version AG 2022-10

AirGuard

OTSAW's leading UV-C LED technology is now available as an air disinfection solution: AirGuard.

AirGuard is the answer for disinfecting the indoor air we breathe, by installation within air conditioning and ventilation systems.

Where others may employ mercury-based UV lamps, OTSAW's UV-C LEDs are not only more energy and environmentally friendly, they are the only certified and lab-tested solution to be proven effective in disinfecting against coronavirus.



Disinfect airborne
viruses and
bacteria



Retrofit into
existing HVAC
systems



Remote
control
operation





Lab-tested
against human
Coronavirus



OTSAW

99.9% DISINFECTION EFFICACY





AirGuard

Product Spec

Applications

- UV-C Air modules are integrated within air conditioning ducts
- Small and easy to install in most ducts
- Coverage can be easily configured as per requirements
- Automatic operation by schedule or remote control

Minimal Modification

- Minimal modification required to retrofit the UVC LED fittings in existing HVAC systems
- Additional sensors can monitor for temperature, airflow, and overall air quality

Background Disinfection

- UVC LED fittings perform disinfection in the background, circulating clean air to the environment.

Don't fight Poison with Poison

OTSAW prides itself on responsible innovation. We believe that the solutions we develop today should not leave a problem for the generations of tomorrow.

Conventional UV disinfection methods utilize mercury-based lamps – which generate harmful waste to humans and the environment.

At OTSAW our UV-C technology is developed with LEDs, which are more energy efficient, less wasteful, and contain no hazardous material.



About Mercury and the Minamata Convention:

The Minamata Convention on Mercury is a global treaty to protect human health and the environment from the adverse effects of mercury.

The Minamata Convention entered into force on 16 August 2017, on the 90th day after the date of deposit of the 50th instrument of ratification, acceptance, approval or accession.

UV-C LED Test Results

OTSAW's U-VC modules have been lab tested to prove 99.9% disinfection efficacy within a 2.5 meter range.



TEST REPORT: 7191238316-CHM20-01-RC
09 JUN 2020



PSB Singapore

RESULTS

Product : UV-C Module from OTSAW O-RX UV-C LED Disinfection Robot
Test Microorganism : *Escherichia coli* (ATCC 8739)

Test Condition	Distance	Timing	Mean Untreated Count (CFU)	Mean Treated Count (CFU)	Reduction Percentage (%)
1	2.5 meter	10 minutes	1 000 000	Less than 10	More than 99.999
2	2.5 meter	20 minutes		Less than 10	More than 99.999
3	2.5 meter	30 minutes		Less than 10	More than 99.999
4	2.0 meter	10 minutes		Less than 10	More than 99.999

Remarks :

The above test results relate to the sample as received.



MS AW HWEE YING
HIGHER TECHNICAL EXECUTIVE



MR RANDY CHIN KOK FEI
PRODUCT MANAGER
MICROBIOLOGY
CHEMICAL & MATERIALS



AirGuard UV-C LED



Standard UV Lamp

UV-C LEDs vs UV Mercury Lamps


Ultraviolet germicidal irradiation (UVGI) is a cost-effective and practical method of inactivating viruses and bacteria.

Existing high-power UVGI systems use UV lamps for large-scale disinfection.

UV-C LED holds many advantages over conventional UV lamps in efficiency, efficacy, safety and in environmental concerns.

Characteristic	UV-C LEDs	UV Lamps
Safe against human skin	✓ Within safe UV-C range	✗ Range overlaps UV-A, UV-B & UV-C
Power consumption	✓ Approx 300W	✗ Approx 1000W
Size	✓ Compact	✗ Bulky
Time to reach full brightness	✓ Instantaneous	✗ 1 - 15 minutes warm-up
Irradiance	✓ 8.6 uW/cm ²	✗ 3 uW/cm ²
Angle	✓ Directional	✗ Omnidirectional
Lifespan	✓ 3 years	✗ 1 year
Operating hours	✓ 5 hours	✗ 2.5 hours
Time needed for disinfection	✓ Disinfects 240m ² in 1 hour	✗ Disinfects 180m ² in 1 hour
Mercury content	✓ None (Environmentally friendly)	✗ Contains mercury (Environmentally hazardous)
Voltage operation	✓ Low voltage operation	✗ High voltage operation
Maintenance	✓ Maintenance-free	✗ Requires bulb replacement and routine cleaning
Ozone production	✓ Zero. Safe for humans	✗ Produces ozone, hazardous to respiratory tract
Durability	✓ Durable and solid construction	✗ Fragile and dangerous

Use Cases




Hotels & Hospitality

Where airborne virus particles can linger in the air for hours after a person has left the room, locations such as bars or restaurants where patrons eat and drink without masks require attention to the quality and cleanliness of circulated air.



Public Transport

With enclosed spaces and a high turnover of passengers in close proximity, public transport such as trains or buses are ideal candidates for AirGuard disinfection within air conditioning systems.



Hospitals & Healthcare

Given the high risk of infection and high flow rate requirements of a healthcare setting, AirGuard can provide additional protection for cleaner air.

Responsible Innovations



OTSAW



TRANSCR

Automated Guided
Vehicle for Material
Transport

TREX

Multi-use Portable
UV-C LED
Disinfection

ORX

Autonomous
UV-C LED
Disinfection

Camello

Autonomous
Last-Mile Delivery

OR3

Autonomous
Outdoor Security

AirGuard

www.otsaw.com

sales@otsaw.com

